

Emotion recognition from facial expression using deep convolutional neural network

by Dewi Yanti Liliana

Submission date: 20-Jan-2022 03:20PM (UTC+0700)

Submission ID: 1744656482

File name: 9_Liliana_2019_J._Phys._Conf._Ser._1193_012004.pdf (450.24K)

Word count: 2487

Character count: 13825

Emotion recognition from facial expression using deep convolutional neural network

D Y Liliana

State Polytechnic of Jakarta, Indonesia

dewiyanti.liliana@tik.pnj.ac.id

Abstract. Automatic facial expression recognition is an actively emerging research in Emotion Recognition. This paper extends the deep Convolutional Neural Network (CNN) approach to facial expression recognition task. This task is done by detecting the occurrence of facial Action Units (AUs) as a subpart of Facial Action Coding System (FACS) which represents human emotion. In the CNN fully-connected layers we employ a regularization method called "dropout" that proved to be very effective to reduce overfitting. This research uses the extended Cohn Kanade (CK+) dataset which is collected for facial expression recognition experiment. The system performance gain average accuracy rate of 92.81%. The system has been successfully classified eight basic emotion classes. Thus, the proposed method is proven to be effective for emotion recognition.

Keywords: facial expression recognition, action unit, deep learning, convolutional neural network, dropout

1. Introduction

Automated facial expression recognition is a task in computer vision and robotics. This problem is an emerging topic of research, especially in social signal processing and affective computing. The challenge in automated facial expression recognition is to recognize each different facial expression and classify into its respective emotion classes [1]. This topic has a wide implementation area, such as in entertainment, education, ecommerce, health, and security [2].

Two approaches for facial expression recognition are the detection of action unit and detection of facial point [3]-[9]. The first approach is implemented by using a framework called FACS (Facial Action Coding System). The framework quantifies facial expression of human by observing the changes in facial muscle when an emotion is triggered [10]. FACS characterizes facial muscle's movement around 44 areas on face; or so-called **action units (AUs)**. Hence, **facial expression can be** recognized through **the existence and intensity of several AUs**. Facial expression has two main steps; AU detection and AU recognition.

To do such task, we employ Deep Convolutional Neural Network **which has an architecture that consists of filter layers and a classification layer**. A filter stage involves a convolutional layer, followed by a temporal pooling layer and a soft max unit. Deep learning methods have been proposed to solve the facial semantic feature recognition tasks [3] and to detect facial point based on Restricted Boltzman Machine [7]. We use database of facial expression which has a ground truth called CK dataset [1]. This



dataset has been annotated and validated by the expert of AUs. Through the dataset with ground truth we can measure the performance of the proposed method.

2. Related Works

The complexity of facial expression recognition comes from the variability of human facial expression, and it cannot easily model by using prototypic template of facial expression [1], [4]. The first research on this topic initiated by Tian et.al. who proposed facial expression recognition by utilizing FACS [1]. After then, many researches were proposed to detect AU occurrence and AU intensity [3]–[6], [11], [12]. Different approach is by detecting facial points and translate its expression meaning [2], [7], [13]. Two main tasks of Facial Expression Recognition and Analysis (FERA) are feature extraction and expression classification [5], [12], [14], [15]. Ming et. al. defined three phases of facial expression recognition: facial image registration, feature extraction, and facial expression classification [16].

Most of the existing FERA methods used various pattern recognition techniques to classify different facial expressions based on facial features, which include geometric-feature based approaches, appearance-feature based approaches, texture-based approaches and hybrid features (fusion of them) based approaches. Geometric-feature based approaches use the location of facial feature points (e.g. eye corners, lip corners etc.) or the slope of facial components (e.g. eyes, brows, mouth etc.). Appearance-feature based approaches use the texture feature of the facial image which is robust to the misalignment and the variation of the illumination [12]. One of the most used is Gabor wavelet features. The LBP features were originally proposed for texture analysis, while due to their tolerance to illumination changes and the computational simplicity, they have become very popular for face analysis recently [16]. Feature extraction is an initial step and very important task because it determines the result. The facial expression recognition has two methods: classification and regression methods. Deep learning has been actively used nowadays, including in facial expression recognition [3], [6], [7], [18]. In this paper we contribute a Deep Learning approaches with dropout mechanism to reduce overfitting.

2.1. Convolutional Neural Network

Convolutional Neural Networks (CNN) are neural network architecture which has multilayers [19]. CNN input and output are array vectors called as feature map. The array dimension depends on the type of input. As an example, audio input has one dimensional array as well as text input; image has 2D array. The output feature map describes the feature extracted from the input. CNN consists of three main layers: convolutional filter layer, pooling/subsampling layer, and classification layer.

2.2. Facial expression recognition's methods

Table 1 describes the summary of facial expression recognition methods and database. The major disadvantages of feature based approaches are big effort should be put on to design and employ various feature extraction methods which are human crafted features. To overcome this drawback, we propose a new approach based on deep learning, a machine crafted features that automatically extract the facial features.

3. Novelty and Contribution

This research offers two novelty and contribution to the field of Facial Expression Recognition. First, we found that in many research facial features extraction is quite complicated to be designed manually by human, since it is a crucial part against all phases. Here we design automatic feature extraction using deep learning convolutional neural network to detect the occurrence of Action Units. Second, as a contribution we employ CK+ dataset and this makes it different with previous research which used SEMAINE and BP4D. The legendary CK Database is the first database which has comprehensive data and ground truth about facial expression and action units. It has already been validated by the expert.

Table 1. Comparison of facial expression recognition methods

1 st Authors, Year	Feature Extraction	Recognition	Database
----------------------------------	--------------------	-------------	----------

Sudha V (2015) [14]	Spin Support LGBP, geometric features, and texture changes (LBP)	Adaboost and SVM	CK+, FACS, ISL, JAFFE, MindReading
J. Zraqou, W. (2013) [20]	Wavelet motion model, facial-feature tracking, and edge and line extraction.	HMM, tracking feature points using the optical flow algorithm	CK
Amogh Gudi (2015) [3]	Deep learning ConvNet	output provides in the last layer output.	SEMAINE, BP4D
Yue Wu (2015) [7]	Restricted Boltzmann Machine	Logistic Regression, NN, SVR	MultiPIE, Helen, LFPW, and AFW, JAFFE, Yale
Li Wang (2015) [12]	AAM	SVM	
R.S. Smith (2014) [5]	Multi-scale Local Binary Patterns (MLBP), Fast Correlation-based Filtering (FCBF)	Ensemble of Multilayer Perceptron (MLP) with Correcting Output Code (ECOC)	CK
Jingying Chen (2012) [17]	ASM, geometric features based on the point displacements, the texture features based on the relations of gradient vectors	multi-class SVM	CK

4. Research Methodology

4.1. Facial Expression and Emotion

We use the definition of basic emotion by Ekman and Friesen who separated emotion into six classes, namely happy, sad, surprise, fear, disgust, angry [10]. Furthermore, we extend two more classes: contempt and neutral; as exist in the original CK dataset. This research focus on recognizing eight different classes of emotion through facial expression analysis using CNN. Fig. 1 depicts those eight classes of emotion.



Fig. 1. Eight classes of basic emotion

4.2. Data

The dataset used in this research is the Extended Cohn Kanade database (CK+ database). CK+ consists of 10,708 images from 123 different subjects. It has eight classes: neutral, anger, contempt, disgust, fear,

happy, sadness, and surprise. Dataset is being preprocessed before training phase. Images are reshaped into 100x100 pixels and then passing into the CNN system.

4.3. CNN for facial expression recognition

The architecture of proposed CNN is depicted on Fig. 2. It has two convolutional layers, and two subsampling layers. The first convolutional layer used six masks, or so called c1 layer. The next layer is subsampling layer which has two layers (s1). The second convolutional layer (or c2) has 12 masks. The last subsampling neural network has two layers. The last is fully connected layer which resulting in the class classification.

5. Experiments

We conducted experiments using different numbers of training and testing data. CK+ database has 10,708 images and we used it all in our experiment. As we can see on table 2, we use varied number of training data as well as testing data. From the experiments we can see that there is a significant decreasing in mean square error as the number of training data raises. While the testing data is the remaining numbers of images data which are not used as a training data. We can observe that the number of testing data is linear to the mean square error. The smaller the size, the smaller the MSE as well.




Fig. 2. The Architecture of CNN for Facial Expression Recognition

Table 2. Experiment results

No	Num of training data	Num of testing data	MSE
1	8000	2708	0.6381
2	9000	1708	0.4614
3	10000	708	0.3729

By measuring the element of data in using data measurement tools for each class we got the result's summary. The accuracy rate for angry class is 87.73%; contempt 90.95%; disgust 93.46%; fear 91.75%; happy 96.38%; sad 91.15%; surprise 98.09%; and neutral 92.96%. The average accuracy rate for the entire testing is 92.81%

6. Results and Discussions

The scenario of experiment gives us prominent result about the system performance with the average accuracy rate of 92.81%. The lowest accuracy rate is anger class, 87.73% and the highest one is surprise

class, 98.09%. Each class has a misclassification results which indicates that the system needs further improvement. For the next research we should consider changing the whole architecture to give a better result.

7. Conclusion

We proposed Convolutional Neural Network architecture for facial expression recognition. There are 8 classes of facial expression we tried to recognize. Using the CK+ database we trained using different training data size and the result is the mean square error declines as the number of training data increases. From the experiment we can conclude that the mean square error declines as the training data grows. Furthermore, the performance of the system reaches 92.81% of the accuracy rate. For the next effort, we will put concern on the design of CNN architect to gain the better result.

References

- [1] Y.-L. Tian, T. Kanade, and J. F. Cohn, "Recognizing action units for facial expression analysis," *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. CVPR 2000 Cat NoPR00662*, vol. 1, no. 2, pp. 1–19, 2001.
- [2] F. De la Torre and J. F. Cohn, "Facial expression analysis," *Vis. Anal. Hum.*, pp. 377–410, 2011.
- [3] A. Gudi, H. E. Tasli, T. M. Den Uyl, and A. Maroulis, "Deep Learning based FACS Action Unit Occurrence and Intensity Estimation," vol. 2013, 2015.
- [4] Z. Ming *et al.*, "Facial Action Units Intensity Estimation by the Fusion of Features with Multi-kernel Support Vector Machine To cite this version : Facial Action Units Intensity Estimation by the Fusion of Features with Multi-kernel Support Vector Machine," 2015.
- [5] R. S. Smith and T. Windeatt, "Facial action unit recognition using multi-class classification," *Neurocomputing*, vol. 150, pp. 440–448, 2015.
- [6] S. Taheri, Qiang Qiu, and R. Chellappa, "Structure-preserving sparse decomposition for facial expression analysis.," *IEEE Trans. Image Process. Publ. IEEE Signal Process. Soc.*, vol. 23, no. 8, pp. 3590–603, 2014.
- [7] Y. Wu and Q. Ji, "Discriminative Deep Face Shape Model for Facial Point Detection," *Int. J. Computer. Vision.*, vol. 113, no. 1, pp. 37–53, 2015.
- [8] M. F. Valstar and M. Pantic, "Fully automatic recognition of the temporal phases of facial actions," *IEEE Trans. Syst. Man Cybern. Part B Cybern.*, vol. 42, no. 1, pp. 28–43, 2012.
- [9] L. Wang, R. Li, and K. Wang, "A Novel Automatic Facial Expression Recognition Method Based on AAM," *J. Comput.*, vol. 9, no. 3, pp. 608–617, 2014.
- [10] P. Ekman and W. Friessen, "Facial action coding system.," *Hum. Face*, 2002.
- [11] M. F. Valstar *et al.*, "FERA 2015 - Second Facial Expression Recognition and Analysis Challenge," 2015.
- [12] L. Wang, R. Li, and K. Wang, "A novel automatic facial expression recognition method based on AAM," *J. Comput.*, vol. 9, no. 3, pp. 608–617, 2014.
- [13] D. Y. Liliana, C. Basaruddin, and M. R. Widyanto, "Mix Emotion Recognition from Facial Expression using SVM-CRF Sequence Classifier," 2017, pp. 27–31.
- [14] V. Sudha, *et al.*, "A fast and robust emotion recognition system for real-world mobile phone data," in *2015 IEEE International Conference on Multimedia Expo Workshops (ICMEW)*, 2015, pp. 1–6.
- [15] D. Y. Liliana and C. Basaruddin, "A review on conditional random fields as a sequential classifier in machine learning," in *2017 International Conference on Electrical Engineering and Computer Science (ICECOS)*, 2017, pp. 143–148.
- [16] Z. Ming, A. Bugeau, J.-L. Rouas, and T. Shochi, "Facial Action Units intensity estimation by the fusion of features with multi-kernel Support Vector Machine," in *Automatic Face and Gesture Recognition (FG), 2015 11th IEEE International Conference and Workshops on*, 2015, vol. 6, pp. 1–6.
- [17] J. Chen, D. Chen, and L. Wang, "Facial Expression Recognition using Geometric and Appearance Features," *Icimcs*, pp. 29–33, 2012.
- [18] D. A. Pitaloka, A. Wulandari, T. Basaruddin, and D. Y. Liliana, "Enhancing CNN with Preprocessing Stage in Automatic Emotion Recognition," *Procedia Comput. Sci.*, vol. 116, pp. 523–529, 2017.
- [19] Y. LeCun, K. Kavukcuoglu, and C. Farabet, "Convolutional networks and applications in vision," *ISCAS 2010 - 2010 IEEE Int. Symp. Circuits Syst. Nano-Bio Circuit Fabr. Syst.*, pp. 253–256, 2010.
- [20] J. Zraqou, W. Alkhadour, and A. Al-Nu'aimi, "An efficient approach for recognizing and tracking spontaneous facial expressions," *2013 Second Int. Conf. E-Learn. E-Technol. Educ. ICEEE*, pp. 304–307, 2013.

Emotion recognition from facial expression using deep convolutional neural network

ORIGINALITY REPORT

13%

SIMILARITY INDEX

7%

INTERNET SOURCES

9%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Zuheng Ming, Aurelie Bugeau, Jean-Luc Rouas, Takaaki Shochi. "Facial Action Units intensity estimation by the fusion of features with multi-kernel Support Vector Machine", 2015 11th IEEE International Conference and Workshops on Automatic Face and Gesture Recognition (FG), 2015
Publication **3%**
- 2** www.ijeat.org
Internet Source **2%**
- 3** www.scitepress.org
Internet Source **1%**
- 4** Submitted to University of Zakho
Student Paper **1%**
- 5** Zhiming Su, Jingying Chen, Haiqing Chen. "Dynamic facial expression recognition using autoregressive models", 2014 7th International Congress on Image and Signal Processing, 2014
Publication **1%**

6	Submitted to Ravenwood High School Student Paper	1 %
7	coupableprobalja-presque.com Internet Source	1 %
8	Jacinto C. Nascimento, Jorge S. Silva. "Lip contour tracking using multiple dynamic models on a manifold", 2011 18th IEEE International Conference on Image Processing, 2011 Publication	1 %
9	link.springer.com Internet Source	1 %
10	www.spiedigitallibrary.org Internet Source	1 %
11	O. Rudovic, V. Pavlovic, M. Pantic. "Multi-output Laplacian dynamic ordinal regression for facial expression recognition and intensity estimation", 2012 IEEE Conference on Computer Vision and Pattern Recognition, 2012 Publication	1 %

Exclude quotes On

Exclude bibliography On

Exclude matches < 1%