DEVELOPMENT OF A PORTABLE MICRO-HYDROPOWER **GENERATION SYSTEM FOR RURAL AREA**

MUHAMAD FADLAN ALAMSYAH

POLITEKNIK NEGERI JAKARTA

BACHELOR OF SCIENCE (HONS) IN MECHANICAL ENGINEERING

FACULTY OF INFORMATION SCIENCES AND ENGINEERING

MANAGEMENT & SCIENCE UNIVERSITY

2022

© Hak Cipta milik Politeknik Negeri Jakarta

Hak Cipta :

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber : a. Pengutipan hanya untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.

b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta

Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin Politeknik Negeri Jakarta

PENGISYTIHARAN

(Declaration)

Saya, Muhamad Fadlan Alamsyah, calon bagi ijazah sarjana muda kejuruteraan mekanikal,

I, Muhamad Fadlan Alamsyah candidate for the degree of bachelor of science in mechanical engineering,

Management & Science University mengakui bahawa:

Management & Science University certifies that:

Tesis saya/kami telah dijalankan, digubal dan ditulis sendiri di bawah penyeliaan:

My/Our thesis was personally developed, conducted, and written by us under the supervision of Associate Prof. Dr. Safaa Najah Saud Al-Humairi Data saya/kami adalah data asal dan saya/kami sendiri mengumpul dan menganalisisnya; dan

My/Our data are original and personally collected and analyzed and

Saya akan sentiasa mematuhi syarat, polisi dan peraturan MSU mengenai penulisan tesis, termasuk undang-undang Hakcipta dan Paten Malaysia. I shall at all times be governed by the conditions, policies, and regulations of the MSU on thesis writing, including the copyright and Patent laws of Malaysia.

POLITEKNIK

Jika saya didapati melanggar perkara-perkara di atas, saya/kami dengan relanya menepikan hak penganugerahan Ijazah saya/kami dan tertakluk kepada syarat dan peraturan disiplin Management & Science University.

If my/our thesis is found to violate the conditions mentioned above, I/we voluntarily waive the right of conferment of my/our degree and be subjected to the disciplinary rules and regulations of Management & Science University.

Muhamad Fadlan Alamsyah

4.06.2022

Faculty of Information Sciences and Engineering Management & Science University

tanpa izin Politeknik Negeri Jakarta



PERAKUAN KERJA KERTAS PROJEK

(Certification of Project Paper)

Saya, yang bertandatangan, memperakukan bahawa

(*I*, the undersigned, certify that)

Muhamad Fadlan Alamsyah

calon untuk Ijazah (candidate for the degree of)

Bachelor of Science (Hons) in Mechanical Engineering

telah mengemukakan kertas projek yang bertajuk (has presented his/her project paper of the following title)

Design A Portable Micro-Hydropower Generation System For Rural Area

seperti yang tercatat di muka surat tajuk dan kulit kertas projek (as it appears on the title page and front cover of project paper)

bahawa kertas projek tersebut boleh diterima dari segi bentuk serta kandungan, dan meliputi bidang ilmu dengan memuaskan.

(that the project paper is acceptable in form and content, and that adequate knowledge of the field is covered by the project paper).

Nama Penyelia
(Name of Supervisor) : Associate Prof. Dr. Safaa Najah Saud Al-Humairi
Tandatangan
(Signatute) :
Tarikh
(Date) : 2682

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber : a. Pengutipan hanya untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.



With earnest gratitude and appreciation, I would like to take this opportunity to acknowledge and extend my thanks to those who have contributed to this project. First and foremost, I offer my utmost gratitude to Management and Science University (MSU) for providing me the opportunity to take this final year project.

This research was carried out to fulfill my degree requirements while also benefiting the community in a certain way. It was also done to improve my ability to operate and work with mechanical and electrical equipment. I overcame problems and discovered new things throughout this research.

I could not have completed my study without the assistance and supervision of my supervisor, Associate Prof. Dr. Safaa Najah Saud Al-Humairi. He has been providing tremendous help in completing this research, and he gave me support and motivation from the beginning until this research was completed.

POLITEKNIK NEGERI JAKARTA

iv

a. Pengutipan hanya

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.



🔘 Hak Cipta milik Politeknik Negeri Jakarta ak Cipta :

Abstract of the project presented to the Senate of Management & Science University in partial fulfillment of the requirements for the degree Bachelor of Science in Mechanical Engineering (Hons.)

DESIGN A PORTABLE MICRO-HYDROPOWER GENERATION SYSTEM FOR RURAL AREA

By

Muhamad Fadlan Alamsyah

June 2022

Faculty of Information Sciences and Engineering

Abstract

The energy demand continues to rise, followed by the growth in the number of people and technological advances. The use of affordable, sustainable, and cheap renewable energy is a choice to meet the world's energy needs, especially for communities in rural areas. Thus, this paper presents a portable microhydropower generation system using floating turbine mechanisms. During this research, the turbine converts the current flow into mechanical energy. The mechanical energy then rotates the dc motor to generate electricity, which later will be stored in a 12V rechargeable battery.

In addition, an online monitoring system based on IoT has been synergized using the Blynk application to provide real-time power monitoring. The result obtained that the floating turbine prototype generates 2.2V to 7.1V depending on the current flow. The electricity generated will charge a battery with a capacity of 20Ah and can be used to power up the led lamp and charge small electrical devices.

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber : a. Pengutipan hanya untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisa

ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.



a. Pengutipan hanya

C Hak Cipta milik Politeknik Negeri Jakarta Hak Cipta :

Abstrak tesis yang dikemukakan kepada Senat Management & Science University sebagai memenuhi sebahagian keperluan untuk ijazah Sarjana Muda Kejuruteraan Mekanikal (Kepujian).

DESIGN A PORTABLE MICRO-HYDROPOWER GENERATION SYSTEM FOR RURAL AREA

Oleh

Muhamad Fadlan Alamsyah

June 2022

Fakulti Sains Maklumat dan Kejuruteraan

Abstrak

Permintaan tenaga terus meningkat, diikuti dengan pertumbuhan bilangan orang dan kemajuan teknologi. Penggunaan tenaga boleh diperbaharui yang mampu milik, mampan dan murah adalah pilihan bagi memenuhi keperluan tenaga dunia, khususnya bagi masyarakat di kawasan luar bandar. Oleh itu, kertas kerja ini membentangkan sistem penjanaan kuasa mikro hidro mudah alih menggunakan mekanisme turbin terapung. Semasa penyelidikan ini, turbin menukar aliran arus kepada tenaga mekanikal. Tenaga mekanikal kemudian memutarkan motor dc untuk menjana elektrik, yang kemudiannya akan disimpan dalam bateri boleh dicas semula 12V.

Selain itu, sistem pemantauan dalam talian berasaskan IoT telah disinergikan menggunakan aplikasi Blynk untuk menyediakan pemantauan kuasa masa nyata. Keputusan diperolehi bahawa prototaip turbin terapung menjana 2.2V hingga 7.1V bergantung kepada aliran semasa. Elektrik yang dijana akan mengecas bateri dengan kapasiti 20Ah dan boleh digunakan untuk menghidupkan lampu led dan mengecas peranti elektrik kecil.

: Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber

untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.

TABLE OF CONTENT

ACKNOWLEDGEMENT iv
ABSTRACT
ABSTRAKvi
CHAPTER 1 INTRODUCTION 1
1.1 BACKGROUND OF THE PROJECT
1.2 PROBLEM STATEMENT
1.3 OBJECTIVES OF THE PROJECT
1.4 SCOPE OF PROJECT
1.5 SIGNIFICANCE OF THE PROJECT
1.6 LIMITATIONS
CHAPTER 2 LITERATURE REVIEW 4
2.1 MICRO-HYDROPOWER PLANT
2.2 TYPE OF MICRO HYDRO TURBINE
2.2.1 Impulse Turbine
2.2.2 Reaction Turbine
2.3 RECENT RESEARCH AND DEVELOPMENT
2.3.1 Crossflow Turbine Micro-Hydropower Generation
2.3.2 Prototype of An Efficient Hydropower Plant
2.2.3 Micro Hydro Power Plant (MHP) Using Overshot Wheel 10
2.4 Variable and Factor Consideration
2.4.1 Flow duration curve
2.4.2 Flow rate measurement
2.4.3 Weir and open channel

C Hak Cipta milik Politeknik Negeri Jakarta



 Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

 Pengutipan hanya untuk kepentingan pendidikan, penelitian, penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.

 b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta



1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber : a. Pengutipan hanya untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.

2. Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun tanpa izin Politeknik Negeri Jakarta

b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta

2.4.4 Turbine power	
2.4.5 Turbine speed	
2.4.6 Turbine Selection	
2.5 Application of Micro-hydropower System	
CHAPTER 3 METHODOLOGY	
3.1 PROJECT METHODOLOGY	
3.1.1 Planning & Requirements	
3.1.2 Design	
3.1.3 Development	
3.1.4 Test	
3.1.5 Deployment	
3.1.6 Review	
3.2 DEVELOPMENT METHODOLOGY	
3.2.1 Block Diagram	
3.2.2 Flowchart	
3.3 TOOLS AND HARDWARE	19
3.3.1 755 DC Motor	
3.3.2 Toggle Switch	
3.3.3 12V USB Charger	
3.3.4 Wire cable	
3.3.5 Breadboard	
3.3.6 Multimeter	
3.3.7 I2C LCD Display	
3.3.8 Digital Voltage Meter	
3.3.9 12V 20Ah battery	
3.3.10 NodeMCU ESP8266	





C Hak Cipta milik Politeknik Negeri Jakarta Hak Cipta :

3.3.12 Step-down transformer	24
3.3.12 Step-up transformer	25
3.3.13 AA and AAA battery charger	25
3.4 SOFTWARE REQUIREMENT	
3.4.1 Autodesk Inventor	
3.4.2 Arduino IDE	
3.4.3 Origin	
3.4.4 Blynk Application	
3.5 CIRCUIT DIAGRAM	
3.6 PRELIMINARY RESULTS	
3.7 PROJECT SCHEDULE	
CHAPTER 4 RESULTS AND PROGRESS	
4.1 OVERVIEW	
	22
4.2 FINAL RESULT	
4.2 FINAL RESULT	
4.2.1 3D Model	
4.2.1 3D Model 4.2.2 Final Prototype	
4.2.1 3D Model4.2.2 Final Prototype4.3 SYSTEM TEST	
 4.2.1 3D Model 4.2.2 Final Prototype 4.3 SYSTEM TEST 4.3.1 Generated Voltage 	32 33 34 34 34 35
 4.2.1 3D Model 4.2.2 Final Prototype 4.3 SYSTEM TEST 4.3.1 Generated Voltage 4.3.2 Battery Voltage 	
 4.2.1 3D Model	32 33 34 34 34 35 35 35 37
 4.2.1 3D Model	
 4.2.1 3D Model	32 33 34 34 34 35 35 35 37 37 37 37



1. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber : a. Pengutipan hanya untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.

TABLE OF FIGURES

Figure 2.1 Types of hydro turbine7
Figure 2.2 Crossflow Turbine Micro-Hydropower Generation Model [23]8
Figure 2.3 Portable Efficient Micro-Hydro Power Generation by O.C. Shen9
Figure 2. 4 New Design Micro Hydro Power Plant Turbine with Selected Material
9
Figure 2.5 Micro Hydropower Plant Modelling Design Using the Overshot Wheel
Figure 2. 6 Realization of the Micro-Hydropower Plant Modeling Design Using
the Overshot Wheel [24]11
Figure 2.7 Turbine selection chart based on head and flow rate [26]13

Figure 3.1 Agile Scrum Method	16
Figure 3.2 Block diagram of the proposed project	18
Figure 3.3 Flowchart of the proposed project	19
Figure 3.4 755 DC Motor	19
Figure 3.5 Toggle Switch	20
Figure 3.6 12V USB Charger	20
Figure 3.7 Wire Cable and Dupont Line	21
Figure 3.8 Breadboard	21
Figure 3.9 Digital Multimeter	22
Figure 3.10 I2C Display 16x2	22
Figure 3.11 Digital Volt Meter	23
Figure 3.12 Battery	23
Figure 3.13 NodeMCU ESP8266	24
Figure 3.14 LED Lamp	24
Figure 3.15 Step-Down Voltage Module	25
Figure 3.16 Step-Up Voltage Module	25
Figure 3.17 AA & AAA Battery Charger	26
Figure 3.18 Autodesk Inventor User Interface	26
Figure 3.19 Arduino IDE User Interface	27

C Hak Cipta milik Politeknik Negeri Jakarta Hak Cipta :



Figure 3.20 Origin Software User Interface	28
Figure 3.21 Blynk Mobile Application	28
Figure 3.22 Circuit Diagram For The System	29
Figure 3.23 Turbine Design	30
Figure 3.24 Early Design of Floating Turbine	30

Figure 4.1 Floating Turbine Design	32
Figure 4.2 Control Box (Power Storage Box)	33
Figure 4.3 The Final Prototype of the Micro-Hydropower Generation System	33
Figure 4.4 Blynk Mobile Application For Power Monitoring	34
Figure 4.5 Generated Output Voltage Chart	35
Figure 4.6 Battery Voltage Chart	35

TABLE OF TABLES

Table 1. Turbine Classifications	7
Table 2. Summary-Recent Research Comparison	14
Table 3. Project Schedule Table	31



l. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber : a. Pengutipan hanya untuk kepentingan pendidikan, penelitian , penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.

b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta

CHAPTER 1 INTRODUCTION

1.1 BACKGROUND OF THE PROJECT

Electricity consumption in Indonesia continues to rise in line with economic and population growth, posing future energy supply challenges [1]. As an archipelagic country, Indonesia is surrounded by oceans and tropical rainforests, making Indonesia abundant with natural resources. Despite the technological advancements and the modernizing era we now live in, many residents in remote and rural areas still lack access to electricity. The rough terrain and geographical condition make the Installation of new power lines face many difficulties, resulting in high electricity costs in rural areas [2].

Although Indonesia possesses numerous renewable energy sources, the government still struggles to meet its energy development goals. Non-renewable energy sources such as fossil fuels, natural gas, and coal continue to meet most of Indonesia's electrical energy needs. [3]. As a result, 96% of electricity is produced by fossil-based fuels (48% oil, 30% coal, and 18% gas), while renewable energy resources are still used in tiny amounts. Steam power plants provide the most energy, accounting for 46.7% of total energy consumed, followed by gas and steam power plants (19.3%) and diesel power plants (11.6%). Meanwhile, electricity consumption from the renewable energy power plant is still low: hydropower accounts for 9.9%, geothermal accounts for 2.6 percent, mini-hydropower accounts for 0.2 percent, and micro-hydro power accounts for 0.1 percent. As energy usage grows, CO2 levels in the atmosphere rise, and the world's fossil fuels become depleted, new renewable energy sources are required [4].

Indonesia is located along the equator, which means Indonesia only has dry and rainy seasons. The rainy season, which lasts from November to March, is marked by excessive humidity. As a result, several water streams (rivers, waterfalls, and lakes) are formed. Renewable energy, such as micro-hydro power generation, can be massive potential for Indonesia due to its geographical location [5].

Hak Cipta :

a. Pengutipan hanya untuk kepentingan

. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

pendidikar

penulisan karya ilmiah, penulisan

laporan, penulisan kritik atau tinjauan suatu masalah.

Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta tanpa izin Politeknik Negeri Jakarta

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

penulisan karya

ilmiah, penulisan

laporan, penulisan kritik atau tinjauan suatu masalah.

Hak Cipta :

a. Pengutipan hanya

untuk kepentingan

pendidikar

🔘 Hak Cipta milik Politeknik Negeri Jakarta Micro-hydropower installations can be placed on a fast-flowing river or irrigation canal. As a result, the energy from the flowing water spins the turbine and converts the mechanical energy into electricity [6].

Although many articles and research are being published on clean energy utilization based on water resources, there is still a lack of experiments in the scope of micro-hydropower generation. This research presents an affordable, clean, and cost-effective power generation system based on a floating turbine mechanism. Applying a floating turbine model as an electricity generator mechanism provides multiple features: zero-emission, no regular maintenance, low cost, lightweight, portable, and not interfering with environmental factors.

1.2 PROBLEM STATEMENT

Limited access to electricity in rural areas is nothing new. Installing a new electricity grid and lines is expensive and makes electricity costs higher in that area. Without electricity, people will do their daily work inefficiently. Residents can't do many activities at night. Furthermore, children can't study without good lighting. So, a device that can produce cheap, affordable, and sustainable electricity that is accessible to everyone is necessary.

1.3 OBJECTIVES OF THE PROJECT

The objectives of the study under our scope are as follows:

- 1. To design a portable micro-hydropower generation that can provide affordable and clean energy.
- 2. To monitor the produced voltage through LCD Display and mobile application.

1.4 SCOPE OF PROJECT

The Project Portable Micro-hydropower generation system that the author developed is a tool that can generate electricity 24/7 by utilizing the flow of water. The focus of this project is to be able to provide cheap and affordable electricity for



. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

Hak Cipta :

rural residents. Using a turbine as a driver and also a dc motor (alternator), this tool can generate electricity needs for basic electronic device needs. However, for further development, this tool can be used in emergency conditions such as when a flood occurs and the electricity goes out, this tool can generate emergency electricity.

1.5 SIGNIFICANCE OF THE PROJECT

🔘 Hak Cipta milik Politeknik Negeri Jakarta To provide a portable micro-hydro power generation that is low-priced and accessible in rural areas. This device can generate electricity 24/7, storing it in the battery. Once the battery is full, residents can use the available electricity for lighting at night, study, entertainment, and other needs. This project aims to derive creativity, grow the economy, and prosperity for rural residents.

In addition, the significance of this project is to support the implementation of the Sustainable Development Goal 7 (SDG 7) program calls for "affordable, reliable, sustainable and modern energy for all" by 2030, and SDG Goal 13 calls for "Take urgent action to combat climate change and its impacts." There are three main targets: Ensure universal access to affordable, reliable, and modern energy services, increase the share of renewable energy in the global energy mix substantially, and double the global rate of improvement in energy efficiency.

1.6 LIMITATIONS

The limitation of the project is:

1. The generated electricity depends on the velocity of the water flow. Faster the flow, higher output electricity can be generated.

AKARTA

2. 775 DC Motor can only produce a maximum of 12 V of voltage for this prototype.

CHAPTER 5 CONCLUSION

5.1 CONCLUSION

In this rapid technological and population growth era, the inadequate access to electricity in rural areas needs a concrete solution. This research has carried out a study of an intelligent power generation system using a floating water turbine mechanism. This floating turbine can be placed on water flows with strong currents, such as rivers, irrigation canals, dams, and floods. Utilizing the Blynk Mobile Application as an IoT-based online monitoring system with NodeMCU ESP8266, users can monitor the voltage generated automatically and in real-time. During the test process, the value of the generated voltage varies depending on the swift current of water that rotates the turbine. The 12V 20Ah battery is used to charge smartphones, turn on led lights, and turn on the electrical system in the control box.

5.2 RECOMMENDATION

There are still many things that can be upgraded and improved in this project for the future. Considering that this is the first-generation prototype, the current features, design, and systems are still not operating at highest capacity.

In the current prototype, the float used styrofoam material. Styrofoam is lightweight, but it has poor stability. It can be improved by replacing it with a pipe or other types of float which have good stabilization. In addition, this prototype must be tied to a bridge or tree to keep it in place. The improvisation that can be done is to use anchors or ballast so that the floating turbine is stable and steady.

Moving to the control box, at this current prototype, the only sensor used is a voltage sensor used to measure the generated voltage from the motor. Of course, this is not enough to create a complete monitoring system. This could be improved by adding power, current, and other essential sensors. Likewise, the mobile application as a monitoring tool needs to be improvised in terms of the user interface and also the existing features. Last but not least, the selection of turbine model and generator motor is also important to generate higher electricity.

Hak Cipta :

. Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

penulisan karya ilmiah, penulisan

laporan, penulisan kritik atau tinjauan suatu masalah.

a. Pengutipan hanya untuk kepentingan pendidikan

REFERENCES

- 🔘 Hak Cipta milik Politeknik Negeri Jakarta Hak Cipta :

- Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :
- a. Pengutipan hanya untuk kepentingan pendidikan penulisan karya ilmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.
- b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta

tanpa izin Politeknik Negeri Jakarta

Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun

5

- F. Kartiasih, Y. Syaukat, and L. Anggraeni, "Determinan Intensitas Energi [1] di Indonesia The Determinants of Energy Intensity in Indonesia Pendahuluan," vol. 12, no. 2, pp. 192–214, 2012.
- I. O. P. C. Series and M. Science, "Enabling electricity access to rural areas [2] in Indonesia : Challenges and opportunities Enabling electricity access to rural areas in Indonesia : Challenges and opportunities," 2020, doi: 10.1088/1757-899X/830/2/022069.
- S. B. Utomo and P. Economy, "Improving Rural Electrification in Eastern [3] Indonesia through Institutional Capacity Development."
- Erinofiardi et al., "A Review on Micro Hydropower in Indonesia," Energy [4] *Procedia*, vol. 110, no. March, pp. 316–321, 2017, doi: 10.1016/j.egypro.2017.03.146.
- E. Science, "Rainy season period and climate classification in sugarcane [5] plantation regions in indonesia Rainy season period and climate classification in sugarcane plantation regions in indonesia," 2020, doi: 10.1088/1755-1315/418/1/012058.
- U. Sah, N. M. Shakya, and S. Bastola, "Pre-feasibility study of Sunkoshi [6] run-off river hydropower project," no. December 2019, 2018.
- [7] R. S. Mathi, "Spatial Technology for Mapping Suitable Sites for Run-of-River Hydro Power Plants," vol. 4, no. 6, pp. 123–134, 2016.
- O. Paish, "Micro-hydropower: status and prospects," no. November 2001, [8] pp. 31–40, 2002.
- [9] N. Johnson, J. Kang, S. Sharples, A. Hathway, and D. Ö. Papatya, "Acoustic Impact of An Urban Micro Hydro Scheme Acoustic impact of an urban micro hydro scheme," no. February 2016, 2011, doi: 10.3384/ecp110571448.



Hak Cipta :

tanpa izin Politeknik Negeri Jakarta

- Dilarang mengumumkan dan memperbanyak sebagian atau seluruh karya tulis ini dalam bentuk apapun

- b. Pengutipan tidak merugikan kepentingan yang wajar Politeknik Negeri Jakarta

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

- untuk kepentingan pendidikan penulisan karya lmiah, penulisan laporan, penulisan kritik atau tinjauan suatu masalah.
- a. Pengutipan hanya

- I. K. Bhat and R. Prakash, "Life Cycle Analysis of Run-of River Small [10] Hydro Power Plants in India," pp. 11-16, 2008.
- [11] M. A. P. Tushar K. Ghosh, *Energy Resources and Systems: Volume 2:* Renewable Resources. Netherlands: Springer, 2011.
- 🔘 Hak Cipta milik Politeknik Negeri Jakarta P. Standard and F. Report, "Achievable Renewable Energy Targets For [12] Puerto Rico ' s," 2008.
 - L. Barelli, L. Liucci, A. Ottaviano, and D. Valigi, "Mini-hydro: A design [13] approach in case of torrential rivers," Energy, vol. 58, pp. 695-706, Sep. 2013, doi: 10.1016/J.ENERGY.2013.06.038.
 - National Renewable Energy Laboratory, "Small Hydropower Systems," [14] U.S. Dep. Energy, pp. 1–8, 2001, [Online]. Available: https://www.nrel.gov/docs/fy01osti/29065.pdf.
 - "OSSBERGER® Crossflow Turbine: Ossberger." [15] https://ossberger.de/en/hydropower-technology/ossbergerr-crossflowturbine/ (accessed Jun. 04, 2022).
 - H. Motohashi, M. Goto, Y. Sato, and T. Shoichi, "Development and field [16] test of open cross flow type micro water turbines," Nihon Kikai Gakkai Ronbunshu, B Hen/Transactions Japan Soc. Mech. Eng. Part B, vol. 76, no. 763, pp. 371-373, 2010, doi: 10.1299/KIKAIB.76.763_371.
 - S. J. Williamson, B. H. Stark, and J. D. Booker, "Experimental [17] optimisation of a low-head pico hydro turgo turbine," IEEE Int. Conf. Sustain. Energy Technol. ICSET, pp. 322–327, 2012, doi: 10.1109/ICSET.2012.6357419.
 - S. J. Williamson, B. H. Stark, and J. D. Booker, "Performance of a low-[18] head pico-hydro Turgo turbine," Appl. Energy, vol. 102, pp. 1114-1126, Feb. 2013, doi: 10.1016/J.APENERGY.2012.06.029.
 - [19] G. F. (George F. Round, "Incompressible flow turbomachines : design, selection, applications, and theory," p. 341, 2004.

- [20] D. K. Okot, "Review of small hydropower technology," *Renew. Sustain. Energy Rev.*, vol. 26, pp. 515–520, Oct. 2013, doi: 10.1016/J.RSER.2013.05.006.
- [21] H. M. Ramos, M. Simão, and A. Borga, "Experiments and CFD Analyses for a New Reaction Microhydro Propeller with Five Blades," *J. Energy Eng.*, vol. 139, no. 2, pp. 109–117, Aug. 2012, doi: 10.1061/(ASCE)EY.1943-7897.0000096.
- [22] Renewables First, "Kaplan Turbines," 2017.
- [23] "Introduction Waterturbines." http://waterturbines.wikidot.com/ (accessed Jun. 05, 2022).
- [24] W. Trisasiwi, M. Masrukhi, A. Mustofa, and F. Furqon, "Rancang Bangun Turbin Cross-Flow Untuk Pembangkit Listrik Tenaga Mikrohidro (PLTMH) Skala Laboratorium," *Din. Rekayasa*, vol. 13, no. 1, p. 29, Feb. 2017, doi: 10.20884/1.dr.2017.13.1.164.
- [25] I. W. B. Saputra, A. I. Weking, L. Jasa, A. P. Pembangkit, L. Tenaga, and M. Hidro, "Mikro Hidro (PLTMH) Menggunakan Kincir Overshot Wheel," vol. 16, no. 02, pp. 48–54, 2017.
- B. A. Nasir, "Design considerations of micro-hydro-electric power plant," *Energy Procedia*, vol. 50, pp. 19–29, 2014, doi: 10.1016/j.egypro.2014.06.003.
- [27] O. J. Mdee, T. K. Nielsen, C. Z. Kimambo, and J. Kihedu, "Assessment of hydropower resources in Tanzania. A review article," *Renew. Energy Environ. Sustain.*, vol. 3, p. 4, 2018, doi: 10.1051/rees/2018004.
- [28] A. P. Abrahamsson, O. Salo, and J. Ronkainen, "Agile Software Development Methods: Review and Analysis," 2002.

🔘 Hak Cipta milik Politeknik Negeri Jakarta

Hak Cipta :

a. Pengutipan hanya untuk kepentingan

Dilarang mengutip sebagian atau seluruh karya tulis ini tanpa mencantumkan dan menyebutkan sumber :

penulisan karya

lmiah, penulisan

laporan, penulisan kritik atau tinjauan suatu masalah.

pendidikar

7